

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior revisions, and listings, of claims in the application.

Listing of Claims:

1. (Previously Presented) A flexible conduit structure for connecting first and second pipes, comprising:

a first conduit section having a body portion presenting a corrugation having a predetermined first diameter and an end portion for connection with said first pipe;

a second conduit section having a body portion presenting a plurality of corrugations including at least one corrugation having a diameter substantially equal to said first diameter, said first and second conduit sections interfitting such that said corrugation of the first section mates with and seals with said one corrugation of the second section in a manner allowing relative rotation between said first and second conduit sections;

an intermediate layer between said mating corrugations constructed from a material dissimilar from and not interactive with said mating corrugations;

a coating of lubricant between said mating corrugations to reduce frictional engagement therebetween; and

an end portion of said second conduit section for connection with said second pipe.

2. (Original) A flexible conduit structure as set forth in claim 1, wherein said one corrugation of said second section is an end corrugation located at one end of said plurality of corrugations.

3. (Original) A flexible conduit structure as set forth in claim 2, including a second end corrugation of said second section located at an end of said plurality of corrugations opposite said one end thereof, said second end corrugation having a diameter substantially equal to said first diameter.

4. (Original) A flexible conduit structure as set forth in claim 3, wherein said body portion of said first conduit section fits inside of said second conduit section and extends inside of substantially all of said plurality of corrugations on said second section.

5. (Original) A flexible conduit structure as set forth in claim 2, wherein said body portion of said first conduit section fits inside of said second conduit section and extends inside of substantially all of said plurality of corrugations on said second section.

6. (Canceled)

7. (Original) A flexible conduit structure as set forth in claim 1, including a second small corrugation on said second conduit section having a diameter substantially equal to said one small corrugation and located such that said plurality of corrugations are between said one small corrugation and said second small corrugation.

8. (Original) A flexible conduit structure as set forth in claim 7, wherein said body portion of said first conduit section fits inside of said second conduit section and extends inside of substantially all of said plurality of corrugations on said second section.

9. (Canceled)

10. (Previously Presented) A flexible conduit structure for connecting first and second pipes, comprising:

a first conduit section having a body portion presenting a single small corrugation having a first diameter and an end portion for connection with said first pipe;

a second conduit section having a body portion presenting a pair of small corrugations each having a diameter substantially equal to said first diameter and a plurality of large corrugations each having a diameter greater than said first diameter, said large corrugations being located between said pair of small corrugations;

said first and second conduit sections interfitting such that said single small corrugation on said first section mates with one of said small corrugations in a manner to effect a seal therewith while allowing relative rotation between said first and second conduit sections;

an intermediate layer between said mating corrugations constructed from a material dissimilar from and not interactive with said mating corrugations;

a coating of lubricant between said mating corrugations to reduce frictional engagement therebetween; and

an end portion of said second conduit section for connection with said second pipe.

11. (Original) A flexible conduit structure as set forth in claim 10, wherein said body portion of said first conduit section fits inside of said second conduit section and extends inside of substantially all of said large and small corrugations on said second section.

12. (Canceled)

13. (Canceled)